



8/29/2018

**Work Order: 18H1356**  
**Project: [none]**

**Skyline Mountain Special Services District**

**Attn: Roy Fox**

**2201 SMR**

**Fairview, UT 84629**


**Client Service Contact: 801.229.2282**

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Joyce Applegate, Project Manager



A ChemtechFord Affiliate

# Certificate of Analysis



Lab Sample No.: 18H1356-01

<b>Name:</b> Skyline Mountain Special Services District	<b>Sample Date:</b> 8/21/2018 2:45 PM
<b>Sample Site:</b> Thad's Peak	<b>Receipt Date:</b> 8/21/2018 4:29 PM
<b>Comments:</b>	<b>Sampler:</b> Jeremy Fox
<b>Sample Matrix:</b> Drinking Water	<b>Project:</b>
<b>PO Number:</b>	<b>System No.:</b> UTAH20043
<b>Source Code:</b> WS002	<b>Sample Point:</b> WS002
	<b>Report to State:</b> Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
<b>Inorganic</b>								
Cyanide, Total	ND	0.2	0.002	mg/L	SM 4500 CN-E	08/28/2018	08/28/2018	
Fluoride	0.1	4	0.1	mg/L	EPA 300.0	08/22/2018	08/23/2018	
Sulfate	2	250	1	mg/L	EPA 300.0	08/22/2018	08/23/2018	
Total Dissolved Solids (TDS)	316	1000	20	mg/L	SM 2540 C	08/22/2018	08/22/2018	
Turbidity	4.4	5	0.02	NTU	EPA 180.1	08/23/2018 14:30	08/23/2018 14:30	
<b>Metals</b>								
Antimony, Total	ND	0.006	0.0005	mg/L	EPA 200.8	08/23/2018	08/28/2018	
Arsenic, Total	ND	0.01	0.0005	mg/L	EPA 200.8	08/23/2018	08/28/2018	
Barium, Total	0.220	2	0.005	mg/L	EPA 200.7	08/23/2018	08/27/2018	
Beryllium, Total	ND	0.004	0.001	mg/L	EPA 200.7	08/23/2018	08/27/2018	
Cadmium, Total	ND	0.005	0.0002	mg/L	EPA 200.8	08/23/2018	08/28/2018	
Chromium, Total	ND	0.1	0.005	mg/L	EPA 200.7	08/23/2018	08/27/2018	
Mercury, Total	ND	0.002	0.00020	mg/L	EPA 245.1	08/24/2018	08/24/2018	
Nickel, Total	ND	0.1	0.005	mg/L	EPA 200.7	08/23/2018	08/27/2018	
Selenium, Total	0.0005	0.05	0.0005	mg/L	EPA 200.8	08/23/2018	08/28/2018	
Sodium, Total	1.7		0.5	mg/L	EPA 200.7	08/23/2018	08/27/2018	
Thallium, Total	ND	0.002	0.0002	mg/L	EPA 200.8	08/23/2018	08/28/2018	
<b>Volatile Organic Compounds</b>								
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,1-Trichloroethane	ND	200	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2-Trichloroethane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2-Trichlorotrifluoroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloroethene	ND	7	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloropropene	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,3-Trichlorobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,3-Trichloropropane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,4-Trichlorobenzene	ND	70	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,4-Trimethylbenzene	ND	70	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichlorobenzene	ND	600	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichloroethane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichloropropane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3,5-Trimethylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3-Dichlorobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3-Dichloropropane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,4-Dichlorobenzene	ND	75	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	



A ChemtechFord Affiliate


# Certificate of Analysis



Lab Sample No.: 18H1356-01

<b>Name:</b> Skyline Mountain Special Services District	<b>Sample Date:</b> 8/21/2018 2:45 PM
<b>Sample Site:</b> Thad's Peak	<b>Receipt Date:</b> 8/21/2018 4:29 PM
<b>Comments:</b>	<b>Sampler:</b> Jeremy Fox
<b>Sample Matrix:</b> Drinking Water	<b>Project:</b>
<b>PO Number:</b>	<b>System No.:</b> UTAH20043
<b>Source Code:</b> WS002	<b>Sample Point:</b> WS002
	<b>Report to State:</b> Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
<b>Volatile Organic Compounds (cont.)</b>								
2,2-Dichloropropane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
2-Chlorotoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
4-Chlorotoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Benzene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromochloromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromodichloromethane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromoform	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromomethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Carbon Tetrachloride	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chlorobenzene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloroform	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
cis-1,2-Dichloroethene	ND	70	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
cis-1,3-Dichloropropene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dibromochloromethane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dibromomethane	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dichlorodifluoromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Ethyl Benzene	ND	700	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Hexachlorobutadiene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Isopropylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Methyl tert-Butyl Ether (MTBE)	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Methylene Chloride	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Naphthalene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
n-Butyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
n-Propyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
p-Isopropyltoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
sec-Butyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Styrene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
tert-Butylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Tetrachloroethene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Toluene	ND	1000	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
trans-1,2-Dichloroethene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
trans-1,3-Dichloropropene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Trichloroethene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Trichlorofluoromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Vinyl Chloride	ND	2	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Xylenes, total	ND	10000	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	



A ChemtechFord Affiliate


# Certificate of Analysis



Lab Sample No.: 18H1356-02

<b>Name:</b> Skyline Mountain Special Services District	<b>Sample Date:</b> 8/21/2018 3:09 PM
<b>Sample Site:</b> Golf Course	<b>Receipt Date:</b> 8/21/2018 4:29 PM
<b>Comments:</b>	<b>Sampler:</b> Jeremy Fox
<b>Sample Matrix:</b> Drinking Water	<b>Project:</b>
<b>PO Number:</b>	<b>System No.:</b> UTAH20043
<b>Source Code:</b> WS003	<b>Sample Point:</b> WS003
	<b>Report to State:</b> Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
<b>Inorganic</b>								
Cyanide, Total	ND	0.2	0.002	mg/L	SM 4500 CN-E	08/28/2018	08/28/2018	
Fluoride	0.2	4	0.1	mg/L	EPA 300.0	08/22/2018	08/23/2018	
Sulfate	17	250	1	mg/L	EPA 300.0	08/22/2018	08/23/2018	
Total Dissolved Solids (TDS)	264	1000	20	mg/L	SM 2540 C	08/22/2018	08/22/2018	
Turbidity	0.34	5	0.02	NTU	EPA 180.1	08/23/2018 14:30	08/23/2018 14:30	
<b>Metals</b>								
Antimony, Total	ND	0.006	0.0005	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Arsenic, Total	ND	0.01	0.0005	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Barium, Total	0.097	2	0.005	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Beryllium, Total	ND	0.004	0.001	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Cadmium, Total	ND	0.005	0.0002	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Chromium, Total	ND	0.1	0.005	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Mercury, Total	ND	0.002	0.00020	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Nickel, Total	ND	0.1	0.005	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Selenium, Total	0.0005	0.05	0.0005	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Sodium, Total	12.8		0.5	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Thallium, Total	ND	0.002	0.0002	mg/L	EPA 200.8	08/27/2018	08/27/2018	
<b>Volatile Organic Compounds</b>								
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,1-Trichloroethane	ND	200	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2-Trichloroethane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2-Trichlorotrifluoroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloroethene	ND	7	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloropropene	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,3-Trichlorobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,3-Trichloropropane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,4-Trichlorobenzene	ND	70	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,4-Trimethylbenzene	ND	70	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichlorobenzene	ND	600	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichloroethane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichloropropane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3,5-Trimethylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3-Dichlorobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3-Dichloropropane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,4-Dichlorobenzene	ND	75	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	



A ChemtechFord Affiliate

# Certificate of Analysis



Lab Sample No.: 18H1356-02

<b>Name:</b> Skyline Mountain Special Services District	<b>Sample Date:</b> 8/21/2018 3:09 PM
<b>Sample Site:</b> Golf Course	<b>Receipt Date:</b> 8/21/2018 4:29 PM
<b>Comments:</b>	<b>Sampler:</b> Jeremy Fox
<b>Sample Matrix:</b> Drinking Water	<b>Project:</b>
<b>PO Number:</b>	<b>System No.:</b> UTAH20043
<b>Source Code:</b> WS003	<b>Sample Point:</b> WS003
	<b>Report to State:</b> Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
<b>Volatile Organic Compounds (cont.)</b>								
2,2-Dichloropropane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
2-Chlorotoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
4-Chlorotoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Benzene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromochloromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromodichloromethane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromoform	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromomethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Carbon Tetrachloride	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chlorobenzene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloroform	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
cis-1,2-Dichloroethene	ND	70	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
cis-1,3-Dichloropropene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dibromochloromethane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dibromomethane	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dichlorodifluoromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Ethyl Benzene	ND	700	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Hexachlorobutadiene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Isopropylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Methyl tert-Butyl Ether (MTBE)	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Methylene Chloride	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Naphthalene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
n-Butyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
n-Propyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
p-Isopropyltoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
sec-Butyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Styrene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
tert-Butylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Tetrachloroethene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Toluene	ND	1000	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
trans-1,2-Dichloroethene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
trans-1,3-Dichloropropene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Trichloroethene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Trichlorofluoromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Vinyl Chloride	ND	2	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Xylenes, total	ND	10000	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	

Lab Sample No.: 18H1356-03

**Name:** Skyline Mountain Special Services District

**Sample Date:** 8/21/2018 3:26 PM

**Sample Site:** Club House Well

**Receipt Date:** 8/21/2018 4:29 PM

**Comments:**

**Sampler:** Jeremy Fox

**Sample Matrix:** Drinking Water

**Project:**

**PO Number:**


**System No.:** UTAH20043

**Source Code:** WS001

**Sample Point:** WS001

**Report to State:** Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
<b>Inorganic</b>								
Cyanide, Total	ND	0.2	0.002	mg/L	SM 4500 CN-E	08/28/2018	08/28/2018	
Fluoride	0.2	4	0.1	mg/L	EPA 300.0	08/22/2018	08/23/2018	
Sulfate	18	250	1	mg/L	EPA 300.0	08/22/2018	08/23/2018	
Total Dissolved Solids (TDS)	280	1000	20	mg/L	SM 2540 C	08/22/2018	08/22/2018	
Turbidity	0.26	5	0.02	NTU	EPA 180.1	08/23/2018 14:30	08/23/2018 14:30	
<b>Metals</b>								
Antimony, Total	ND	0.006	0.0005	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Arsenic, Total	ND	0.01	0.0005	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Barium, Total	0.092	2	0.005	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Beryllium, Total	ND	0.004	0.001	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Cadmium, Total	ND	0.005	0.0002	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Chromium, Total	ND	0.1	0.005	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Mercury, Total	ND	0.002	0.00020	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Nickel, Total	ND	0.1	0.005	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Selenium, Total	ND	0.05	0.0005	mg/L	EPA 200.8	08/27/2018	08/27/2018	
Sodium, Total	16.1		0.5	mg/L	EPA 200.7	08/27/2018	08/27/2018	
Thallium, Total	ND	0.002	0.0002	mg/L	EPA 200.8	08/27/2018	08/27/2018	
<b>Volatile Organic Compounds</b>								
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,1-Trichloroethane	ND	200	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2-Trichloroethane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1,2-Trichlorotrifluoroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloroethene	ND	7	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,1-Dichloropropene	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,3-Trichlorobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,3-Trichloropropane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,4-Trichlorobenzene	ND	70	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2,4-Trimethylbenzene	ND	70	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichlorobenzene	ND	600	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichloroethane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,2-Dichloropropane	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3,5-Trimethylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3-Dichlorobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,3-Dichloropropane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
1,4-Dichlorobenzene	ND	75	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	



A ChemtechFord Affiliate


# Certificate of Analysis



Lab Sample No.: 18H1356-03

<b>Name:</b> Skyline Mountain Special Services District	<b>Sample Date:</b> 8/21/2018 3:26 PM
<b>Sample Site:</b> Club House Well	<b>Receipt Date:</b> 8/21/2018 4:29 PM
<b>Comments:</b>	<b>Sampler:</b> Jeremy Fox
<b>Sample Matrix:</b> Drinking Water	<b>Project:</b>
<b>PO Number:</b>	<b>System No.:</b> UTAH20043
<b>Source Code:</b> WS001	<b>Sample Point:</b> WS001
	<b>Report to State:</b> Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
<b>Volatile Organic Compounds (cont.)</b>								
2,2-Dichloropropane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
2-Chlorotoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
4-Chlorotoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Benzene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromobenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromochloromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromodichloromethane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromoform	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Bromomethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Carbon Tetrachloride	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chlorobenzene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloroethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloroform	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Chloromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
cis-1,2-Dichloroethene	ND	70	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
cis-1,3-Dichloropropene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dibromochloromethane	ND		0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dibromomethane	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Dichlorodifluoromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Ethyl Benzene	ND	700	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Hexachlorobutadiene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Isopropylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Methyl tert-Butyl Ether (MTBE)	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Methylene Chloride	ND	5	1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Naphthalene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
n-Butyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
n-Propyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
p-Isopropyltoluene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
sec-Butyl Benzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Styrene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
tert-Butylbenzene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Tetrachloroethene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Toluene	ND	1000	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
trans-1,2-Dichloroethene	ND	100	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
trans-1,3-Dichloropropene	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Trichloroethene	ND	5	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Trichlorofluoromethane	ND		1.0	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Vinyl Chloride	ND	2	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	
Xylenes, total	ND	10000	0.5	ug/L	EPA 524.2	08/23/2018	08/23/2018	



A ChemtechFord Affiliate

## Certificate of Analysis



Analyses presented in this report were performed in accordance with the National Environmental Laboratory Accreditation Program by a Chemtech-Ford affiliate company, except where otherwise noted.

### Report Footnotes

#### Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit.  
1 mg/L = one milligram per liter or 1 mg/Kg = one milligram per kilogram = 1 part per million.  
1 ug/L = one microgram per liter or 1 ug/Kg = one microgram per kilogram = 1 part per billion.  
1 ng/L = one nanogram per liter or 1 ng/Kg = one nanogram per kilogram = 1 part per trillion.

#### Data Comparisons

Values reported in **RED** exceed Primary Drinking Water standards.  
Values reported in **BLUE** exceed Secondary Drinking Water standards.  
**BLANK** values in the MCL column indicate no standard.



Company or Name: SKYLINE MT SSP  
 Address: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Contact Name/Email: \_\_\_\_\_  
 PO#: \_\_\_\_\_  
 DW System # 26073 Report DW to State  Y or  N  
 Project: \_\_\_\_\_  
 Lab Notes:  Custody Seals  Correct Containers  Temp Blank  
 Containers Intact  COC Included  Received within hold time  
 COC/Labels Agree  COC Complete  
 Preservation Confirmed  Sufficient Sample Volume Temp 45 C  
 Received on Ice  Headspace Present (VOC)

Lab Work Order #	Sample ID or Location	Sample Date	Sample Time	Sample Matrix	Sample Source	Sample Pt.	Analysis Requested	Bottle-Lot	Quantity
-01	Ticads Park	8/21/18	1445		WS002	WS002	Pool	AD	1
-02	GOLF Course well	8/21/18	1509		WS003	WS003	Marginal to water	C852	1
							VOC's	M, B, L7	1
-03	Club House well	8/21/18	1526		WS001	WS001		V803	X2

Sampled by: M. Teremy Fox Delivery Method:  Walk-In  UPS  FedEx  Other  CTF Courier Tracking # \_\_\_\_\_  
 Relinquished by: [Signature] Date/Time: 8/21/18 1625 Received by: [Signature] Date/Time: 8/21/18 1029  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_