



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

Certificate of Analysis

Skyline Mountain Special Services District

Attn: Roy Fox
2201 SMR
Fairview, UT 84629

Work Order: 24D0831
Phone: (801) 361-6227
Fax:
Email: smssd2013@gmail.com

Lab #: 24D0831-01

Sample ID: Lot C-49

Report to State: Yes

Sample Type: Routine

Sampled: 4/10/24 12:15

Sampled By: Jeremy Fox

Field Res. Chlorine: Not Provided

System #: UTAH20043

Sample Source: DS001

Sample Point: DS001

Parameter Name	Result	Units	Method	Test Started	Test Ended	Flags
Coliform, Total	Absent	Org/100 mL	EPA 9223B	4/10/2024 15:15	4/11/2024 13:00	
E. Coli	Absent	Org/100 mL	EPA 9223B	4/10/2024 15:15	4/11/2024 13:00	



Melissa Connolly, Project Manager

CHAIN OF CUSTODY - SAMPLE SUBMITTAL FORM

DRINKING WATER & MICRO



CHEMTECH-FORD
LABORATORIES

COMPANY: SMSSD skyline.mtn
 ADDRESS: _____
 CITY/STATE/ZIP: _____
 PHONE #: _____
 CONTACT: Ray Fox
 EMAIL: _____
 PROJECT: _____
 PO Number: _____
 INVOICE EMAIL ADDRESS: _____

Chemtech-Ford Laboratories
 - Drop-Off Location -
 1384 W. 130 S
 Orem, UT 84058
 Phone: 801-229-2282

*Additional fees may apply

State System # UTAH 20013 *Rush Due Date
 Send to State Yes No

TESTS REQUESTED		BACTERIA			
Field: Residual Chlorine		Total Coliform + E coli (Present/Absent)	Total Coliform + E coli (Enumerated)	HPC (Misc Bacteria Plate Count)	R = Routine I = Investigative TR = Trigger Source RP = Repeat Repeat OR = Original UP = Upstream DN = Downstream Failed Sample Lab ID #
		X			

Sample Condition: EOC Complete
 Sufficient Sample Volume
 Headspace Present (VOC)
 Temperature Blank
 Received within Holding Time

Delivery Method: USPS UPS FedEx Chemtech-Ford Courier Client Courier
 Walk-in Tracking #: _____

CLIENT SAMPLE INFORMATION			
LAB USE ONLY	LOCATION / IDENTIFICATION	DATE	TIME
2100921	LOT C-49	4/10/24	12:5

Sampled by (print): <u>M Jeremy Fox</u>	NOT ON ICE <div style="border: 1px solid black; border-radius: 50%; padding: 2px; display: inline-block; margin-left: 10px;">ON ICE</div>
Special Instructions: _____	Temp (C°): <u>9.1</u> Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.
Relinquished by (signature): <u>[Signature]</u>	Received by (signature): <u>[Signature]</u>
Date/Time: <u>4/10/24 13:24</u>	Date/Time: <u>4-10-24 13:24</u>
Relinquished by (signature): <u>[Signature]</u>	Received by (signature): <u>[Signature]</u>
Date/Time: <u>4-10-24 14:00</u>	Date/Time: <u>4/10/24 14:40</u>
Relinquished by (signature): _____	Received by (signature): _____

Payment Terms are net 30 days DAC. 1.5% interest charge per month (18% per annum). Client agrees to pay collection costs and attorney's fees.