



Skyline Mountain Special Services District

Attn: Roy Fox 2201 SMR

Fairview, UT 84629

Sampled: 9/2/21 11:45

Work Order: 2110170

Phone: (801) 361-6227

Fax:

Email: rrfox3768@gmail.com

Original Failure Date:

Lab #: 2110170-01

Sample ID: Thads Peak Report to State: Yes

Absent

Sampled By: Jeremy Fox

Sample Type: Routine
Field Res. Chlorine: Not Provided

System #: UTAH20043

Sample Source: DS001

Sample Point: DS001

Repeat Lab:

E. Coli

Parameter Name

Coliform, Total

Result Units

Absent Org/100 mL

Method EPA 9223B EPA 9223B Test Started 9/2/2021 15:00 9/2/2021 15:00 Test Ended

Flags

9/3/2021 9:45 9/3/2021 9:45

Lab #: 2110170-02

Sample ID: Lot C-49

Report to State: Yes

Sampled By: Jeremy Fox

Sample Type: Routine
Field Res. Chlorine: Not Provided

Sampled: 9/2/21 11:30

Sampled by. Detering I ox

System #: UTAH20043 Sample Source: DS001

Sample Point: DS001

Original Failure Date:

JujaApplegale

Repeat Lab:

Parameter Name Result
Coliform, Total Absent
E. Coli Absent

Units Org/100 mL Org/100 mL

Org/100 mL

Method EPA 9223B EPA 9223B Test Started 9/2/2021 15:00 9/2/2021 15:00 Test Ended 9/3/2021 9:45 9/3/2021 9:45 Flags



Joyce Applegate, Project Manager

9632 South 500 West

Sandy, Utah 84070

801.262.7299 Main

866.792.0093 Fax

www.ChemtechFord.com

Chain of Custody/Sample Submittal Form

*TAL is a Chemtech-Ford Affiliate

1384 W 130 S	Orem, Ut 84058 801-229-2282									
Compar	ny or Name SKYLIV.	e MT	55 D			Lab Notes:				
Address						[] Custody Seals				
	Phone					Containers In	/	COC Complete	Checked by: CF	
Contact Name/Email Roy Fox						COC/Labels Linked [/] Sufficient Sample Volume				
PO# Project						Receiving Temp:C				
DW System # 170043 Report DW to State Por N						[] Headspace Present (VOC)				
,	(A) 2007)		viv to state	- 01 11		y) correct correct	arriers [Tredaspace Fresent (VOC)		
Lab Work Order # 2170170 Rush Due Date:										
(Lab Use)		Sample	Sample	Sample	(For Drinl	king Water)			(For La	b Use)
Sample #	Sample ID or Location	Date	Time	Matrix	Source	Sample Pt.	Α	nalysis Requested	Bottle-Lot	Quantity
701	That's Deak	9/2/21	11:45	DU				TC	E-1056	
									4. 异年20.4公	
02	10+ C-49	9/2/21	11:30	DVS				TC	E-1058	
						E E E				
`}						SERVE BALL			parents.	
									77 77	
						1.4411				
						71 - 22 THE		· ·		
yz., by. 1.5				0					ALCO BY	
147		·							1, 13, 24, 24, 24, 24, 24	
		<u> </u>				0.500.000				
Delivery Method: Walk-IP Client Courier CTF Courier Sampled by 9/2/21 18/6 Delivery Method: Walk-IP Client Courier CTF Courier Tracking # 9-2-7-1 13/9										
						Received by	1	1-0-1	Date/Time	
Caun 9.2.21 1400						Toplander 9-2-21 14:35				
Relinquishe	ed by			Date/Time		Received by			Date/Time	
Relinquishe	ed by			Date/Time		Received by			Date/Time	